



**MPA** | Eberswalde

Materialprüfanstalt  
Brandenburg GmbH

Prüfung, Überwachung,  
Zertifizierung, Gutachten,  
Forschung und Entwicklung

# Certificate of constancy of performance according to AVCP-System 1

## 0763-CPR-6203

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR) this certificate applies to the construction product

### Keflico Design Panels Echo

softwood plywood according to EN 636 for use as non-structural components in dry conditions,  
nominal thickness 12 mm,  
fire retardant surface coating,  
class of reaction to fire acc. to EN 13501-1: B - s1, d0. Classification only valid for parameters stated in classification report K45/2024 of 02.04.2024.

produced by

**Keflico A/S, Juelstrupparken 24, 9530 Stoevring, Denmark**

and produced in the manufacturing plant

**mill 1 or mill 2**

process stages: production of raw panel

**mill 3 or mill 4**

process stages: application of lacquer and assembling

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


**EN 13986:2004+A1:2015**

under system 1 for the performances set out in this certificate are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on 12.12.2024. It will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product and the manufacturing conditions in the plant are not modified significantly.

Eberswalde, 12.12.2024



  
Dr. Robby Wegner  
Head of Certification Body

Sparkasse Schwandorf  
Kto-Nr.: 100 164 862  
BLZ: 750 510 40  
IBAN: DE55 7505 1040 0100 1648 62  
BIC-/SWIFT: BYLADEM1SAD  
USt.-Id. DE814335485  
Finanzamt Eberswalde



Die Akkreditierung gilt nur für die in der Urkunde aufgeführten Verfahren.



vom DIBt anerkannte  
PÜZ-Stelle BRA02



EC notified 0763



CARB notified TPC 18